

Gigabit Single-Mode Single-Fiber Transceiver FCG11A-3



Overview

SFP transceiver that supports 1G connections up to 3 km using single-mode fiber with a simplex LC UPC connector. Power Consumption CLASS 1 LASER PRODUCT, IEC/EN 60825-1:2014 Do not look into the ends of the fiber optic cable or SFP module. FS gigabit ethernet transceiver solutions provide fibre or copper options including 1000BASE-SX, 1000BASE-LX/LH, 1000BASE-T etc., from 100m to 160km, for 1G switches, routers, servers, NICs and other transmission equipment. Click to get your 1GBE transceiver modules from nearby warehouses. 30-Day. The industry-standard Cisco Small Form-Factor Pluggable (SFP) Gigabit Interface Converter (Figure 1) links your switches and routers to the network. The hot-swappable input/output device plugs into a Gigabit Ethernet port or slot. Optical and copper models can be used on a wide variety of Cisco. Grandstream Network offers a wide variety of fiber modules. Für die Verwendung mit Gigabit-Ethernet bietet er bis zu 1,25Gbps bidirektionale Datenübertragungsrate auf einem Single Duplex-Glasfaserkern. Bei Einsatz von 9 und 125 Mikrometer Glasfaserkabel kann eine.

Article Content

SFP Transceiver – SFP Single Mode LC Module (10km)

TRENDnet's SFP Single Mode LC Modules are compatible with standard SFP slots found on network switches and fiber converters. Each single mode SFP

Singlemode: Transceiver Lösungen & Einsatzbereiche

Singlemode: Transceiver Lösungen von Fiber24. Individuell ideal für große Entfernungen flexibel Hier bei Fiber24 entdecken und beraten lassen!

SFP-GE-LD-SM 1.25Gbps 1310nm Single-mode Duplex

1.25Gbps 1310nm Single-mode Duplex LC fiber SFP Transceiver Compliant with SFF-8472 and DDM Function Small Form Factor Pluggable (SFP) transceivers

GVT-0301 1,25Gbps Single-Mode SFP-Transceiver, 10km, 1310nm

Der LevelOne GVT-0301 ist ein leistungsstarker und kostengünstiger Single-Mode SFP-Transceiver. Für die Verwendung mit Gigabit-Ethernet bietet er bis zu 1,25Gbps bidirektionale Datenübertragungsrate

Cisco SFP Modules for Gigabit Ethernet Applications

This data sheet describes the benefits, specifications, and ordering information for the Cisco SFP Modules for Gigabit Ethernet Applications.

1G BiDi SFP

GIGALIGHT's 1G BiDi SFP series optical transceiver modules support a speed of 1.25Gbps, widely used in Gigabit Ethernet, 1G fiber channel, and SDH. They can

Mini GBIC SFP transceiver LX Single-Mode (10km)

The LevelOne GVT-0301 SFP (Small form-factor pluggable) Transceiver provide flexibility for utilizing fiber Gigabit network connections in both data and telecommunication applications.

SFP+ Single Mode LC Module (10km)

TRENDnet's SFP+ Single Mode LC Modules are compatible with standard SFP+ slots found on network switches and fiber converters. Each single mode 10G

SFP-1G Series

The SFP-1G Series 1-port Gigabit Ethernet SFP modules are available as optional accessories for a wide range of Moxa Ethernet switches. Note: When connecting the SFP-LHX, ZX, EZX, or EZX-120,

1G SFP LX 1310nm 20km Single mode Transceiver

Generic SFP-1G-LX Compatible 1000BASE-LX/LH SFP 1310nm 10km-20km Transceiver supports 1G gigabit Ethernet throughput over singlemode fiber (SMF)

Fiber Modules

All of them are hot-pluggable small-form factor transceiver modules integrated with the high sensitivity PIN receiver and signal conditioner for 1.25/10 Gigabit Ethernet applications. SFP modules support

Tripp Lite USB C 3.1 to Fiber Optic Transceiver Gigabit Ethernet ...

This compact transceiver Ethernet adapter is ideal for cable installers and troubleshooters who need to quickly and easily test multiple fiber connections. The U436-SMF-1G-LC supports full 1 Gbps fiber

SFP Gigabit Transceivers Singlemode Single-Strand

Discover SFP Gigabit single-strand BiDi modules for 20Km with SC connector. Cisco compatible - buy now for efficient fiber links!

SFP-Transceiver

Der 1000BASELX SM SFP 40KM ist ein Gigabit-Singlemode-SFP-Transceiver (Mini-GBIC) mit LC-Stecker. Er arbeitet mit einer Wellenlänge von 1310 nm und unterstützt 1000BaseLX-Ethernet über

1G SFP Transceivers | Mini-GBIC SFP Modules

FS gigabit ethernet transceiver solutions provide fibre or copper options including 1000BASE-SX, 1000BASE-LX/LH, 1000BASE-T etc., from 100m to 160km, for 1G

Port Gigabit Optical Fiber Media Converter Fiber

Buy Port Gigabit Optical Fiber Media Converter Fiber Transceiver Single Fiber 20km SC 1000Mbps Singlemode With Power online today! Feature: 1. High Quality, 2

SFP Transceiver

The GSFIBER-SFP-30K is a Gigabit Ethernet single-mode SFP transceiver. Utilizing LC connectors and operating at a 1310nm wavelength, it enables high-speed

Singlemode: Transceiver Lösungen & Einsatzbereiche

Entdecken Sie unsere vielfältige Auswahl an Singlemode Transceivermodulen, die speziell für langlebige, zuverlässige und leistungsstarke Glasfaser-Kommunikation entwickelt wurden.

1000BASE-EX SFP 1310nm 40km Transceiver Datasheet | FS

Description The SFP1G-LH-31 series single-mode transceivers are small form factor pluggable module for bi-directional serial optical data communications such as Gigabit Ethernet 1000BASE-LX and

BiDi Gigabit Single Mode SC Media Converter, 10/100/1000M

Bi-Di Gigabit Singlemode Media Converter Bi-Di Gigabit Singlemode SC Fiber Media Converter Built-in Single Mode transceiver with Single SC Fiber Port, SMF 1310/1550nm, up to 20km.

1 Gigabit Singlemode SFP Fiber Optic Transceivers

These transceivers are engineered for long-distance applications, supporting distances from 10 km to 180 km depending on the model and wavelength. They

Single Mode Fiber SFP – SFP Single Mode LC Module (20km)

Each TEG-MGBS20 single mode fiber SFP is equipped with a duplex LC fiber connection interface, supports high-speed data rates up to 1.25Gbps, and supports gigabit single mode fiber connections

Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.aitaf.it>

Email: info@aitaf.it

Phone: +39 331 847 2365

Address: Via Raffaello Sanzio 11, 20149 Milan, Italy

This document is for informational purposes only. Specifications subject to change without notice.

