

# What optical module should be used with the S5735



## Overview

A 10GE SFP+ Ethernet optical port supports auto-sensing to 1000 Mbit/s. A stack port connects multiple switches through stack cables and virtualize them into one switch logically. It is used with a ground cable. A combo port can. -T ports, 4 x 10 GE SFP+ ports. They are designed for enterprise campus network access and aggregation as well as data center access. Built on next-generation, high-performance hardware and with the Huawei Versatile R ear is ature is lower than 0°C (32°F). The mHuawei CloudEngine S5735-S-V2 series hybrid optical-electrical switches are standard gigabit Ethernet switches that provide all GE downlink ports, DB50 ports, 10GE uplink ports and 2 stack ports. Copper modules can be installed on a maximum of 24 1000BASE-X optical ports.

## Article Content

Huawei CloudEngine S5735-S-V2 Series Switches Datasheet

Introduction CloudEngine S5735-S-V2 series switches are developed based on next-generation high-performing hardware and software platform. CloudEngine S5735-S-V2 switches support simplified

CloudEngine S5735-S-V2 Series Switches | Huawei

Huawei S5735-S V2 gigabit switches provide flexible access for Wi-Fi 6 networks. They support ZTP and free mobility. Learn more.

Huawei CloudEngine S5735-L-V2 Series All-Optical

- CloudEngine S5735-L-V2 provides a series of mechanisms to defend against DoS attacks and user-targeted attacks. DoS attacks are targeted at switches and

S5735-S48T4X Datasheet Overview

Overview -T ports, 4 x 10 GE SFP+ ports. Huawei CloudEngine S5735-S is a series of standard gigabit access switches that provide 24-48 flexible all-GE downlink ports and four fixed 10 GE uplink ports.

Huawei CloudEngine S5735-S-V2 Series Hybrid Optical-Electrical

With powerful aggregation and routing capabilities of CloudEngine S5735-S-V2 series hybrid optical-electrical switches make them suitable for use as core switches in a small-scale enterprise network.

S5735-S-V2 Hybrid Optical-Electrical Switch Installation and Cable ...

S5735-S-V2 Hybrid Optical-Electrical Switch Installation and Cable Connection Guide (Using the ES5MFMT00004 Terminal Box)

Huawei CloudEngine S5735-S-V2 Datasheet

The document provides details on Huawei CloudEngine S5735-S-V2 series switches, including an introduction, product overview listing the models and appearances,

Huawei CloudEngine S5735-S-V2 Series Switches

Huawei CloudEngine S5735-S-V2 series are standard gigabit Ethernet switches that provide GE electrical & 2.5GE optical downlink ports, 10GE uplink ports and one

S5735-S24PN4XE-V2

The switch is a PoE switch and supports three power module slots, each of which can have a 1000 W PoE or 600 W PoE power module installed. Pluggable AC and DC PoE power modules can be used

CloudEngine S5735-L-V2 Series All-Optical Switches Brochure

CloudEngine S5735-L-V2 series switches are ideal for scenarios such as enterprise campus network access and gigabit to the desktop. Built on next-generation, high-performance hardware and

CloudEngine S5735-L-V2 Series Switches | Huawei

Huawei S5735-L V2 Series switches are cost-effective and energy-efficient switches with simplified management for medium-sized campus networks. Learn more.

Huawei S5735 Switch: Intelligent Campus & Enterprise

Discover the Huawei S5735 Switch—versatile Campus & Enterprise Switch series. Includes deployment cases, CLI guides, and Cisco comparisons

CloudEngine S5735-S-V2 Series Hybrid Optical

Based on the next-generation high-performance hardware and Huawei's Versatile Routing Platform (VRP), the CloudEngine S5735-S-V2 series hybrid optical

S5735-S24ST4XE-V2 (98012231-001)

When one port is active, the other port is shut down. A 10GE SFP+ Ethernet optical port supports auto-sensing to 1000 Mbit/s. It sends and receives service data at 1000 Mbit/s or 10 Gbit/s. A stack port

CloudEngine S5735-S-V2 All-Optical Switches

CloudEngine S5735-S-V2 switches can be used in various scenarios. For example, it can be used as an access or aggregation switch on a campus

S5735-L48P4X-A

Power Supply Configuration The S5735-L48P4X-A is a PoE switch. It has one power module slot, which can have a 1000 W PoE power module installed. Table 4-1204 lists its power supply configurations.

S5735-S24T4X

The S5735-S24T4X has similar indicators to those on the S5735-S24P4X except that the S5735-S24T4X does not have a PoE mode indicator. For details, see Indicator Description.

S5735-S32ST4X

10GE SFP+ port A 10GE SFP+ Ethernet optical port supports auto-sensing to 1000 Mbit/s. It sends and receives service data at 1000 Mbit/s or 10 Gbit/s. Table 4-1426 describes the attributes of a 10GE

S5735-S48T4X Datasheet Overview

Overview S5735-S48T4X is the Huawei S5735-S switch with 48 x 10/100/1000BASE-T ports, 4 x 10 GE SFP+ ports. Huawei CloudEngine S5735-S is a series of standard gigabit access switches that

S5735-S48S4XE-V2 (98012232-001)

When 25 or more GE optical modules with a transmission distance of 40 km or longer are installed on 1000BASE-X optical ports, power modules with at least 180 W power are required. Copper modules

CloudEngine S5735-L-V2 Series All-Optical Switches

Huawei CloudEngine S5735-L-V2 series all-optical switches build on a next-generation high-performance hardware platform and a unified software platform

S5735-S8P2X-IA200G1

The S5735-S8P2X-IA200G1 has a built-in power module and does not support pluggable power modules. The S5735-S8P2X-IA200G1 can be directly connected to an external 220 V AC power

CloudEngine S5735-S-V2 Series Switches Brochure

CloudEngine S5735-S-V2 provides a series of mechanisms to defend against DoS attacks and user-targeted attacks. DoS attacks are targeted at switches and include SYN flood, Land, Smurf, and

Huawei CloudEngine S5735-S-V2 Series All-Optical

CloudEngine S5735-S-V2 switches can be used in various scenarios. For example, it can be used as an access or aggregation switch on a campus network or as an

CloudEngine S5735-L-V2 Series Switches Datasheet

CloudEngine S5735-L-V2 provides a series of mechanisms to defend against DoS attacks and user-targeted attacks. DoS attacks are targeted at switches and include SYN flood, Land, Smurf, and

S5735-S-V2 Stack Support

Split or aggregated ports cannot be used for stack cable connections. For details about the ports and cables supported by each model in the S5735-S-V2 series, see the Hardware Description.

Huawei CloudEngine S5735-S-V2 Series Switches Datasheet

Huawei CloudEngine S5735-S-V2 Series Switches Datasheet Huawei CloudEngine S5735-S-V2 series are standard gigabit Ethernet switches that provide GE electrical & 2.5GE optical downlink ports,

## Contact Us

For more information, pricing, or custom solutions, please contact us:

Website: <https://www.aitaf.it>

Email: [info@aitaf.it](mailto:info@aitaf.it)

Phone: +39 331 847 2365

Address: Via Raffaello Sanzio 11, 20149 Milan, Italy

This document is for informational purposes only. Specifications subject to change without notice.

